



EAST CAMBRIDGESHIRE DISTRICT COUNCIL

THE GRANGE, NUTHOLT LANE,
ELY, CAMBRIDGESHIRE CB7 4EE

Telephone: Ely (01353) 665555
DX41001 ELY Fax: (01353) 665240
www.eastcambs.gov.uk

Further to your information request FOI/EIR 22/23-160 please find your question and our response below.

Request:

This request is for the disclosure of all communications to and from and within the council regarding the approval of the installed sewerage pumping station for Terence Place to establish whether its approvals of the design, subsequent installation, and plans for its continuing maintenance arrangements were correctly undertaken by the council; and for the council to disclose its intentions to resolve the issues with the pumping station.

Response:

Please find attached all the email communications that are held in relation to the pumping station at Terence Place.

This concludes your request FOI/EIR 22/23-160

If information has been refused please treat this as a Refusal Notice for the purposes of the Act.

If you disagree with our decision or are otherwise unhappy with how we have dealt with your request in the first instance you may approach foi@eastcambs.gov.uk and request a review. A request for review must be made in no more than 40 working days from the date of this email.

Should you remain dissatisfied with the outcome you have a right under s50 of the Freedom of Information Act to appeal against the decision by contacting the Information Commissioner, Wycliffe House, Water Lane, Wilmslow SK9 5AF.